



4 Pin 10A 230/400V Heavy Duty Connector Female Insert

OUKERUI is a professional China 4 Pin 10A 230/400V Heavy Duty Connector Female Insert manufacturer and supplier, if you are looking for the best 3A Top Entry M20 Plug Heavy Duty Connector Hoods with low price, consult us now. We are committed to maintaining a high level of professionalism, service and quality.



Product Description

With years of experience in keyword production, the company name can provide a variety of 4 Pin 10A 230/400V Heavy Duty Connector Female Insert. High quality 4 Pin 10A 230/400V Heavy Duty Connector Female Insert can fulfill different uses. If you need them, use our timely online 4 Pin 10A 230/400V Heavy Duty Connector Female Insert service. In addition to the product list below, you can customize your own unique 4 Pin 10A 230/400V Heavy Duty Connector Female Insert to suit your specific needs.

Product Description

4 Pin 10A 230/400V Heavy Duty Connector Female Insert is a Heavy Duty Connector manufacturer with TUV audit. We also have CE, UL, EAC certified high performance connectors. ISO quality management system. Patent configuration, easy installation, quick installation. Personalized interfaces for different scenarios. High quality raw material guarantee. Create more environmentally friendly products.

Basic Info.

Model NO.	HZW-HA-004F
Contacts Surface Treatment	Silver/Glod Plated
Housing Material	Die-Casting Aluminum Alloy
Working Environments	IP65 for Various Harsh Environments
Contact Cost	Pay Additional Cost for Crimp Contacts
Specification	CE, UL, ROHS



Origin	China
Production Capacity	3000pieces Per Day
Certification	UL
Contact Material	Copper
Housing Coating	Anti-Corrosion Powder Spray
Crimp Tooling	Available
Transport Package	Poly bag and Double Cartons
Trademark	Oukerui
HS Code	8536900000

SPECIFICATION

Model No.	HZW-HA-004F
Terminal type	Screw Terminal
Housings material	Dia casting aluminum alloy
Working Voltage	230/400V
Rated Impulse Voltage	4KV
International protection(IP) grade	IP65
Flammability	V0
Mechanical Life Span	Min 500 times
Warranty	1 Year
Gender type	Female
Contacts' surface processing	Silver or Gold Plated
Mounting type	Bulkhead/Surface/ cable to cable
Insert Block	Top grade PC
Working Current	10A
Temperature Bearing Range	-40° C~+125° C
Pollution Degree	3
Transport packing	Carton



SPECIFICATION OF CONTACT

Material	Copper Alloy
Terminal	Screw/Crimp Terminal
Screw terminal tightening	0.25Nm
Surface Treatment	Silver/Gold Plated
Wire Gauge	1.0-2.5mm ² (AWG18-14)

4 Pin 10A 230/400V Heavy Duty Connector Female Insert are extensively used in equipment that require electrical and signal connections, such as mold, machinery, construction machinery, textile machinery, transportation technology, electric energy, electric locomotives and so on various need electrical and petrochemical equipment.